Amendments to the Claims

1. (currently amended) A compound of Formula (I):



(I)

or a pharmaceutically acceptable salt or N-oxide thereof, wherein:

one of A^1, A^2, A^3, A^4 and A^5 is N, another of them is C-R^5, another of them is C-R^6, and the other two are independently either N or CH;

Q is a C_{3-8}cycloalkyl~~, a 5- or 6-membered heteroaryl, or a 4-8-membered heterocyclic ring~~;

T together with the -N=C- to which it is attached forms a heteroaryl ring, or a heterocyclic ring where the N=C bond is the only site of unsaturation;

R^1 and R^2 each independently are hydrogen, halogen, hydroxy, cyano, nitro, vinyl, ethynyl, methoxy, OCF_nH_{3-n}, -N(C_{0-4}alkyl)(C_{0-4}alkyl), CHO, or C_{1-2}alkyl optionally substituted with 1-5 independent halogen, hydroxy, cyano, methoxy, -N(C_{0-2}alkyl)(C_{0-2}alkyl), $SOCH_3$, or SO_2CH_3 substituents; or R^1 and R^2 together form a carbocyclic~~ or heterocyclic~~ ring; or R^1 and R^2 may be taken together to represent an oxygen atom attached to the ring via a double bond;

R^3 and R^4 each independently are hydrogen, halogen, OCF_nH_{3-n}, methoxy, CO_2R^{77}, cyano, nitro, CHO, $CONR^{99}R^{100}$, $CON(OCH_3)CH_3$, or C_{1-2}alkyl, ~~heteroaryl~~or C_{3-7}cycloalkyl optionally substituted with 1-5 independent halogen, hydroxy, cyano, methoxy, -$NHCO_2CH_3$, or -N(C_{0-2}alkyl)(C_{0-2}alkyl) substituents; or R^3 and R^4 together form a 5-8-membered aromatic, ~~heteroaromatic,~~ or carbocyclic~~, or heterocyclic~~ ring;

R^5 and R^6 each independently are hydrogen, hydroxy, halogen, cyano, nitro, CO_2R^7, CHO, COR^8, $C(OH)R^7R^8$, $C(=NOR^7)R^8$, $CONR^8R^{10}$, SR^7, SOR^8, SO_2R^8, $SO_2NR^9R^{10}$, $CH_2NR^9R^{10}$, NR^9R^{10}, N(C_{0-4}alkyl)SO_2R^8, $NHCOR^7$, or C_{1-4}alkyl group, C_{2-4}alkenyl group, C_{2-4}alkynyl group, C_{1-4}alkoxy group, or aryl group~~, or heteroaryl group~~, wherein any group optionally is substituted with 1-6 independent halogen, cyano, nitro, hydroxy, C_{1-2}alkoxy, -

$N(C_{0-2}alkyl)(C_{0-2}alkyl)$, $C_{1-2}alkyl$, CF_nH_{3-n}, aryl, ~~heteroaryl,~~ -$COC_{1-2}alkyl$, -$CON(C_{0-2}alkyl)(C_{0-2}alkyl)$, SCH_3, $SOCH_3$, SO_2CH_3, or -$SO_2N(C_{0-2}alkyl)(C_{0-2}alkyl)$ substituents; or R^5 and R^6 together form a 5-8-membered carbocyclic ~~or heterocyclic~~ ring;

R^7 and R^{77} each independently are hydrogen, or $C_{1-4}alkyl$ group, $C_{2-4}alkenyl$ group, $C_{2-4}alkynyl$ group, $C_{3-7}cycloalkyl$ group, or aryl group, ~~heteroaryl group, or 4-7 membered heterocyclic group~~, wherein any group optionally is substituted with 1-6 independent halogen, cyano, nitro, hydroxy, $C_{1-2}alkoxy$, -$N(C_{0-2}alkyl)(C_{0-2}alkyl)$, $C_{1-2}alkyl$, $C_{3-7}cycloalkyl$, ~~4-7-membered heterocyclic ring~~, CF_nH_{3-n}, aryl, ~~heteroaryl,~~ CO_2H, -$COC_{1-2}alkyl$, -$CON(C_{0-2}alkyl)(C_{0-2}alkyl)$, $SOCH_3$, SO_2CH_3, or -$SO_2N(C_{0-2}alkyl)(C_{0-2}alkyl)$ substituents;

R^8 is $C_{1-4}alkyl$ group, $C_{2-4}alkenyl$ group, $C_{2-4}alkynyl$ group, $C_{3-7}cycloalkyl$ group, or aryl group, ~~heteroaryl group, or 4-7 membered heterocyclic group,~~ wherein any group optionally is substituted with 1-6 independent halogen, cyano, nitro, hydroxy, $C_{1-2}alkoxy$, -$N(C_{0-2}alkyl)(C_{0-2}alky)$, $C_{1-2}alkyl$, $C_{3-7}cycloalkyl$, ~~4-7-membered heterocyclic ring,~~ CF_nH_{3-n}, aryl, ~~heteroaryl,~~ CO_2H, -$COC_{1-2}alkyl$, -$CON(C_{0-2}alkyl)(C_{0-2}alkyl)$, $SOCH_3$, SO_2CH_3, or -$SO_2N(C_{0-2}alkyl)(C_{0-2}alkyl)$ substituents;

R^9, R^{10}, R^{99}, and R^{100} each independently are hydrogen, or $C_{1-4}alkyl$ group, $C_{3-7}cycloalkyl$ group, or aryl group, ~~heteroaryl group, or 4-7 membered heterocyclic group,~~ wherein any group optionally is substituted with 1-6 independent halogen, cyano, nitro, hydroxy, $C_{1-2}alkoxy$, -$N(C_{0-2}alkyl)(C_{0-2}alkyl)$, $C_{1-2}alkyl$, $C_{3-7}cycloalkyl$, ~~4-7-membered heterocyclic ring,~~ CF_nH_{3-n}, aryl, ~~heteroaryl,~~ -$COC_{1-2}alkyl$, -$CON(C_{0-2}alkyl)(C_{0-2}alky)$, $SOCH_3$, SO_2CH_3, or -$SO_2N(C_{0-2}alkyl)(C_{0-2}$ alkyl) substituents; ~~or R^9 and R^{10} or R^{99} and R^{100} together form a 6-8-membered heterobicyclic ring system or a 4-8-membered heterocyclic ring which optionally is substituted with 1-2 independent $C_{1-2}alkyl$, CH_2OCH_3, $COC_{0-2}alkyl$, hydroxy, or SO_2CH_3 substituents;~~

n is 1, 2 or 3;

m is 0 or 1;

the dotted line together with the solid line forms an optional double bond, and Δ indicates that the double bond has the (*E*)-configuration; and

with the proviso that Formula (I) does not represent 3-cyclopentyl-2-pyridin-4-yl-*N*-thiazol-2-ylpropionamide.

2. (original) A compound according to claim 1, or a pharmaceutically acceptable salt or

N-oxide thereof, wherein

the dotted line together with the solid line forms a double bond;

A^3 is C-R^5, A^4 is C-R^6, one of A^1, A^2 and A^5 is N, and the other two are CH.

3, 4. (canceled)

5. (original) A compound according to claim 1, or a pharmaceutically acceptable salt or *N*-oxide thereof, wherein

the dotted line together with the solid line forms a double bond;

A^3 is C-R^5, A^4 is N, one of A^1, A^2 and A^5 is N, and the other two are CH.

6. (original) A compound according to claim 5, or a pharmaceutically acceptable salt or *N*-oxide thereof, wherein Q is a C_{3-8}cycloalkyl ring.

7. (original) A compound according to claim 1, or a pharmaceutically acceptable salt or *N*-oxide thereof, wherein

the dotted line together with the solid line forms a single bond;

A^3 is C-R^5, A^4 is C-R^6, one of A^1, A^2 and A^5 is N, and the other two are CH.

8, 9. (canceled)

10. (currently amended) A compound according to claim 1, or a pharmaceutically acceptable salt or *N*-oxide thereof, wherein Q is cyclopentyl~~,~~ or cyclohexyl~~, tetrahydropyranyl, tetrahydrothiopyranyl, 1-oxo-tetrahydrothiopyranyl or 1,1-dioxo-tetrahydrothiopyranyl~~.

11. (original) A compound according to claim 1, or a pharmaceutically acceptable salt or *N*-oxide thereof, wherein the group of formula

is 2-pyridyl, 2-pyrazinyl, 2-pyrimidinyl, 4-pyrimidinyl, 3-(1*H*-pyrazolyl), 2-(1*H*-imidazolyl), 5-[1,2,4]thiadiazolyl, 2-[1,3,4]thiadiazolyl, 2-(4,5-dihydrothiazolyl), 3-isoxazolyl, 2-oxazolyl, or 2-thiazolyl.

12. (original) A compound according to claim 1, or a pharmaceutically acceptable salt or *N*-oxide thereof, wherein the dotted line together with the solid line forms a single bond, and the absolute configuration at the asymmetric centre α to the amide carbonyl carbon is (R).

13. (original) A compound according to claim 1 wherein R^3 is hydrogen, halogen, C_{1-2}alkyl, or trifluoromethyl; and R^4 is hydrogen or methyl.

14. (currently amended) A compound selected from:

2-(6-Chloropyridin-3-yl)-3-cyclopentyl-*N*-thiazol-2-ylpropionamide;

3-Cyclopentyl-2-(6-phenylpyridin-3-yl)-*N*-thiazol-2-ylpropionamide;

~~3-Cyclopentyl-*N*-thiazol-2-yl-2-(6-thiophen-3-ylpyridin-3-yl)propionamide;~~

3-Cyclopentyl-2-pyridin-3-yl-*N*-thiazol-2-ylpropionamide;

(*E*)-3-Cyclopentyl-2-(6-methylsulfanylpyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(6-methylsulfanylpyridin 3-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(6-ethylsulfanylpyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(6-ethylsulfanylpyridin-3-yl)acrylamide;

~~(*E*)-3-Cyclopentyl-2-[6-(5-methyltetrazol-1-yl)pyridin-3-yl]-*N*-thiazol-2-ylacrylamide;~~

~~(*E*)-3-Cyclopentyl-N-thiazol-2-yl-2-(6-[1,2,4]triazol-1-ylpyridin-3-yl)acrylamide;~~

~~(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(6-[1,2,4]triazol-1-ylpyridin-3-yl)acrylamide;~~

(*E*)-3-Cyclopentyl-2-(5-methylsulfanylpyridin-2-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(5-methylsulfanylpyridin- 2-yl)acrylamide;

3-Cyclopentyl-2-(6-fluoropyridin-3-yl)-*N*-thiazol-2-ylpropionamide;

(*E*)-3-Cyclopentyl-2-(2-propylsulfanylpyrimidin-5-yl)-*N*-thiazol-2-ylacrylamide;

~~(*E*)-3-(4-Tetrahydropyranyl)-2-(6-methanesulfanylpyridin-3-yl)-*N*-thiazol-2-ylacrylamide;~~

N-(5-Chloropyridin-2-yl)-3-cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)propionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-[1,2,4]thiadiazol-5-ylpropionamide;

~~3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-(5-furan-2-yl-[1,3,4]thiadiazol-2-yl)propionamide;~~

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-[1,3,4]thiadiazol-2-ylpropionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-pyrimidin-2-ylpropionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-(4-methyloxazol-2--yl)propionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-(4-methylpyridin-2-yl)propionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-(6-methylpyridin-2-yl)propionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-isoxazol-3-ylpropionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-(5-fluoropyridin-2-yl)propionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-(1-methyl-1*H*-pyrazol-3-yl)propionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-(5-methylpyridin-2-yl)propionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-pyridin-2-ylpropionamide;

N-Benzothiazol-2-yl-3-cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)propionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-pyrazin-2-ylpropionamide;

N-(6-Chloropyrazin-2-yl)-3-cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)propionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-pyrimidin-4-ylpropionamide;

3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-(3-methyl-[1,2,4]thiadiazol-5-yl)propionamide;

(*E*)-3-Cyclopentyl-2-(6-methanesulfonylpyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(6-methanesulfonylpyridin-3-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(6-ethanesulfonylpyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(6-ethanesulfonylpyridin-3-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(5-methanesulfonylpyridin-2-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Bromothiazol-2-yl)-3-cyclopentyl-2-(6-methanesulfonylpyridin-3-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)-*N*-(5-fluorothiazol-2-yl)acrylamide;

(*E*)-2-[3-Cyclopentyl-2-(6-cyclopropanesulfonylpyridin-3-yl)acryloylamino]-thiazole-5-carboxylic acid methylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(5-methanesulfonylpyridin-2-yl)acrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(5-methanesulfinylpyridin-2-yl)acrylamide;

(*E*)-2-[5-Chloro-6-(propane-1-sulfonyl)pyridin-3-yl]-3-cyclopentyl-*N*-thiazol-2-ylacrylamide;

(*E*)-2-[5-Chloro-6-(propane-1-sulfinyl)pyridin-3-yl]-3-cyclopentyl-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(5-Chloro-6-methanesulfonylpyridin-3-yl)-3-cyclopentyl-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(5-Chloro-6-methanesulfinylpyridin-3-yl)-3-cyclopentyl-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(5-Chloro-6-methanesulfonylpyridin-3-yl)-*N*-(5-chlorothiazol-2-yl)-3-cyclopentylacrylamide;

(*E*)-2-(5-Chloro-6-methanesulfinylpyridin-3-yl)-*N*-(5-chlorothiazol-2-yl)-3-cyclopentylacrylamide;

(*E*)-3-Cyclopentyl-*N*-(5-fluorothiazol-2-yl)-2-(6-methanesulfonylpyridin-3-yl)acrylamide;

(*E*)-3-Cyclopentyl-*N*-(5-fluorothiazol-2-yl)-2-(6-methanesulfinylpyridin-3-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(6-methanesulfinylpyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-3-Cyclopentyl-2-(6-ethanesulfinylpyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(6-ethanesulfinylpyridin-3-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(5-methanesulfinylpyridin-2-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-3-Cyclopentyl-2-[2-(propane-1-sulfinyl)pyrimidin-5-yl]-*N*-thiazol-2-ylacrylamide;

(*E*)-3-Cyclopentyl-2-(6-ethanesulfinylpyridin-3-yl)-*N*-(5-fluorothiazol-2-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(6-cyclopropanesulfinylpyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(6-cyclopropanesulfinylpyridin-3-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(6-cyclopropanesulfinylpyridin-3-yl)-*N*-(5-fluorothiazol-2-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(6-methanesulfinylpyridin-3-yl)-*N*-(5-chlorothiazol-2-yl)acrylamide;

3-Cyclopentyl-2-(6-methanesulfonylpyridin-3-yl)-*N*-thiazol-2-ylpropionamide;

3-Cyclopentyl-2-(6-mercaptopyridin-3-yl)-*N*-thiazol-2-ylpropionamide;

3-Cyclopentyl-2-(6-methanesulfinylpyridin-3-yl)-*N*-thiazol-2-ylpropionamide;

3-Cyclopentyl-2-(6-methoxymethanesulfinylpyridin-3-yl)-*N*-thiazol-2-ylpropionamide;

3-Cyclopentyl-2-[6-(propane-2-sulfinyl)pyridin-3-yl]-*N*-thiazol-2-ylpropionamide;

3-{5-[2-Cyclopentyl-1-(thiazol-2-ylcarbamoyl)ethyl]pyridin-2-ylsulfanyl}propionic acid;

3-{5-[2-Cyclopentyl-1-(thiazol-2-ylcarbamoyl)ethyl]pyridine-2-sulfonyl}propionic acid;

{5-[2-Cyclopentyl-1-(thiazol-2-ylcarbamoyl)ethyl]pyridin-2-ylsulfanyl}acetic acid;

{5-[2-Cyclopentyl-1-(thiazol-2-ylcarbamoyl)ethyl]pyridine-2-sulfonyl}acetic acid;

{5-[2-Cyclopentyl-1-(thiazol-2-ylcarbamoyl)ethyl]pyridine-2-sulfinyl}acetic acid;

(*E*)-2-(6-Aminopyridin-3-yl)-*N*-(5-chlorothiazol-2-yl)-3-cyclopentylacrylamide;

(*E*)-2-(6-Aminopyridin-3-yl)-3-cyclopentyl-*N*-thiazol-2-ylacrylamide;

(*E*)-3-Cyclopentyl-2-(6-methylaminopyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-cyclopentyl-2-(6-methanesulfonylaminopyridin-3-yl)acrylamide;

(*E*)-3-Cyclopentyl-2-(6-methanesulfonylaminopyridin-3-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-3-Cyclopentyl-2-[6-(methanesulfonylmethylamino)pyridin-3-yl]-*N*-thiazol-2-ylacrylamide;

or a pharmaceutically acceptable salt or *N*-oxide thereof.

15. (original) A pharmaceutical composition comprising a compound according to claim 1, or a pharmaceutically acceptable salt or *N*-oxide thereof, and a pharmaceutically acceptable carrier.

16. (withdrawn) A method of prophylactic or therapeutic treatment of hyperglycemia or diabetes comprising a step of administering an effective amount of the compound according to claim 1, or a pharmaceutically acceptable salt or *N*-oxide thereof.

17. (withdrawn) A method of prevention of diabetes in a human demonstrating pre-diabetic hyperglycemia or impaired glucose tolerance comprising a step of administering an effective prophylactic amount of the compound according to claim 1, or a pharmaceutically acceptable salt or *N*-oxide thereof.

18. (withdrawn) A process for the preparation of a compound of Formula (Ia):



(Ia)

said process comprising a step of the condensation of a compound of Formula (IV):



IV

with a compound of Formula (V):



(V)

wherein A^1-A^5, Q, T, R^1-R^4, m and Δ are as defined in claim 1.

19. (withdrawn) A process for the preparation of a compound of Formula (Ib):



(Ib)

said process comprising a step of the condensation of a compound of Formula (VIII):



(VIII)

with a compound of Formula (V):



(V)

wherein A^1-A^5, Q, T, R^1--R^4 and m are as defined in claim 1.

20. (original) A compound of Formula (IV):



IV

wherein A^1-A^5, Q, R^1, R^2, m and Δ are as defined in claim 1.

21. (original) A compound of Formula (VIII):



VIII

wherein A^1-A^5, Q, R^1, R^2 and m are as defined in claim 1.